

Goldhofer Extendable 4-assige semi-dieplader + 2-assige dolly



Accessoires

- ABS
- Air suspension rear
- Central lubrication
- EBS

ID number	46354+46355
License plate	20-89-ZZ
1st registration	23-06-2016
Year	2016
Chassis number	WG0STZV49G0037891
Fuel	Other

Price on request

Comments

- Specifications Goldhofer 4-axle semi-trailer
 - Hydraulically suspended and steered
 - 4 × BPW axles × 10,000 kg
 - Fifth wheel load: 35,000 kg
 - Payload: 52,200 kg
 - Gross vehicle weight: 75,000 kg
 - Loading floor centre section: 710 cm × 274 cm
 - Extendable up to: 1,220 cm (+ 510 cm)
 - Loading floor height: 38 cm
 - Gooseneck: 330 cm × 249 cm
 - Gooseneck loading height: 189 cm
 - Rear section: 570 cm × 274 cm
 - Rear loading height: 100 cm
 - Width extensions: 2 × 18 cm
 - Fifth wheel height: 150 cm
 - Kingpin: 3.5 inch
 - Boom recess
 - AGS / ALB / ABS / EBS
 - Radio remote axle steering
 - Central lubrication system
 - Multiple toolboxes
- Specifications Goldhofer Dolly (type SX-L 2-33/80)
 - Unladen weight: 3,800 kg
 - Payload: 31,700 kg
 - Gross vehicle weight: 35,500 kg
 - Dimensions: 600 cm × 255 cm × 130 cm
 - Fifth wheel height: 164 cm
 - Kingpin: 3.5 inch

- Central lubrication system
- 2 BPW air-suspended axles
- Tyres: 245/70 R17.5 (approx. 60%)
- Total unladen weight (tractor + dolly + semi-trailer): 41,700 kg
- Permitted gross combination weight: 130,000 kg

General

Dimensions	1800 x 280 x 255
Overall condition	Good
Technical condition	Good
Optical condition	Good

Chassis

Own weight (kg)	22600
Loading capacity (kg)	48400
GVW (kg)	71000
Wheelbase (kg)	130

Powertrain

Transmission	-
Cylinder capacity (cc)	-
Engine power (pk)	-
Engine power (kw)	-

Axle configuration

Tire size	1	1	1	1
Profile Left/Right	40	40	40	40
Suspension	Air	Air	Air	Air
Maximum axle load	9000	9000	9000	9000
Reduction	-	-	-	-
Axle lift	✘	✘	✘	✘
Steering	✓	✓	✓	✓
Powered	✘	✘	✘	✘

All prices are excluding VAT

All specifications are subject to change. The given mileage, sizes, weights and other specifications are not legally binding